### adUp Vario Trapfloat double sided

(DPI) Resolution: 120 ppi – 1:1 scale

(🔎) File format: PDF

Color: CMYK - Coated FOGRA39

flattened file (no layers),
no print marks,
no overprint attribute,
no bleeds,
do not change the size of the template,
convert fonts to curves,
suggested black color parameters for
backlighting: C40 M40 Y20 K100



Remove the red and blue lines before saving the files. Leaving the line on will result in it being printed as a design element! In order to properly display the advertisement, all important elements should be inside the protective area marked with red line. Background and graphics must fill the entire printable area marked project marked with blue line. If there is no fill between the red and blue lines, a white frame will appear on the printout.

Download and work on the graphic design template on the next page of this PDF. If there is more than one, prepare the projects in separate files.

Guideline Label Legend:

### Print area

Protection area (place here elements that you want to be uncut, such as logos or text). Remember to remove all lines from the project.

## outside1 1750 x 1350 [mm] Print adUp Vario Trapfloat double sided

# outside2 1750 x 1350 [mm] Print adUp Vario Trapfloat double sided

## outside3 1750 x 1350 [mm] Print adUp Vario Trapfloat double sided

## outside4 1750 x 1350 [mm] Print adUp Vario Trapfloat double sided

## outside5 1750 x 1350 [mm] Print adUp Vario Trapfloat double sided

# outside6 1750 x 1350 [mm] Print adUp Vario Trapfloat double sided

### inside1 1750 x 1350 [mm]

## inside2 1750 x 1350 [mm]

### inside3 1750 x 1350 [mm]

## inside4 1750 x 1350 [mm] Print adUp Vario Trapfloat double sided

### inside5 1750 x 1350 [mm]

## **inside6**1750 x 1350 [mm]